Serial No. 09/527,350

## IN THE SPECIFICATION:

Please amend the specification as follows:

Page 3, line 20, insert a comma after "which".

Page 4, line 9, insert a comma after "which".

Page 4, line 11, insert a comma after "member and".

Page 5, delete line 20, and insert

--Fig. 9a is a perspective view of a liquid crystal display mounted on a support;
Fig. 9b is a perspective view of a supported liquid crystal display being inserted into a recess in a memory card;

Fig. 9c is a perspective view of the memory card having the liquid crystal display inserted therein; --.

Page 6, line 19, delete/"an" and insert --a--

Page 8, line 6, delete "in" and insert --at--.

Page 8, line 20, after "16", insert --being--.

Page 9, line 16, delete "state," and insert -- states, --.

Page 10, line 14, delete "voltage." and insert --voltage is discontinued.--,.

Page 11, line 1, after "set the" insert --other--.

Page 11, line 2, delete "come".

Page 12, line 7, before "repeatedly," insert --lines--.

Page 12, line 17, delete "polyethilene" and insert --polyethylene--.

- Serial No. 09/527,350
- Page 12, line 23, delete "in" and insert --at--.
- Page 13, line 3, delete "phenylcyclohexile" and insert --phenylcyclohexyl--.
- Page 13, line 10, delete "heat" and insert --heating--.
- Page 13, line 10, delete "cool," and insert --cooling, --.
- Page 19, line 3, delete "becomes" and insert --comes--.
- Page 19, line 10, after "72," insert -- and --.
- Page 19, line 10, delete "74," and insert 7-74;--.
- Page 19, line 15, delete "tip." and insert --chip.--.
- Page 19, line 26, after "equipment", delete "is".
- Page 21, line 8, delete "As" and insert -- In--.
- Page 21, line 15, delete "demodulating" (both occurrences) and insert --light-adjusting-- (each occurrence).
- Page 21, line 19, insert a comma after "18)".
- Page 21, line 21, insert a comma after "position" (second occurrence only).
- Page 21, line 22, insert a comma after "M2".
- Page 21, line 22, insert a comma after "focusing".
- Page 22, line 4, insert a comma after "110".
- Page 22, line 5, insert a comma after "image".
- Page 22, line 8, insert a comma after "113".
- Page 22, line 9, insert a comma after "on".
- Page 22, line 9, insert a comma after "114".
- Page 22, line 10, insert a comma after "card".

- Serial No. 09/527,350
- Page 23, line 14, insert a comma after "136".
- Page 23, line 16, insert a comma after "other".
- Page 23, line 21, delete "30" and insert --301--.
- Page 24, line 14, delete "lateral" and insert --horizontal--.
- Page 24, line 23, delete "demodulating" and insert --light-adjusting--.
- Page 25, line 3, delete "demodulating" and insert
  --light-adjusting--.
- Page 25, line 16, delete "A/D/" and insert --A/D--.
- Page 26, line 17, delete "A/D/" and insert --A/D--.
- Page 26, line 25, delete "VRAN" and insert -- VRAM--.
- Page 27, line 9, delete "demodulating" and insert --light-adjusting--.
- Page 27, line 16, delete "half" and insert --halfway--.
- Page 30, line 10, insert a comma after "Fig. 9".
- Page 30, line 12, insert a comma after "type".
- Page 31, line 16, delete "80X60mm," and insert --80X60 pixels,--.
- Page 31, line 18, delete "frame" and insert --image--.
- Page 32, line 17, delete "S2," and insert --S2.--.
- Page 32, line 22, after "numbers" insert --81--.
- Page 33, line 18, after "card," insert --and--.
- Page 36, line 26, delete "form at all times." and insert --every format.--.